



Declaration of performance

conform Annex III of the Regulation (EU) No.305/2011 (Construction Product Regulation)
DoP Nr. AFM 29-B01.GWB1301-20210423

Intended use
Impact sound insulation

Product type
Acoustic Floor Mat 29
polyurethane (PU) foam mat

Unique identification code
AFM 29-B01.GWB1301-20210423

Manufacturer
Getzner Werkstoffe GmbH
Herrenau 5, 6706 Bürs, Austria


AVCP System
3

European technical approval (ETA) ETA-21/0143
European assessment document (EAD) 040049-00-0502

Declared performance

Essential characteristics	Performance	Technical specification
Basic work requirement 2 – Safety in case of fire		
Reaction to fire	Class E	EN 13501-1 Test acc. to EN ISO 11925-2
Basic work requirement 3 – Hygiene, health and the environment		
Content, emission and or release of dangerous substances	The product does not contain SVHC-parts in a concentration above 0.1 % in accordance with Regulation (EC) no. 1907/2006 (REACH).	
Basic work requirement 5 – Protection against noise		
Dynamic stiffness	$s'_t \leq 10 \text{ MN/m}^3$	EN 29052-1
Impact sound reduction	$\Delta L_w \geq 29 \text{ dB}^a)$ <small>a) Not considering any national safety values</small>	EN ISO 717-2 Test acc. to EN ISO 10140
Geometry		
Length	1500 mm	EN 822, L3 acc. to EN 16069
Width	750 mm	EN 822, L3 acc. to EN 16069
Rectangularity	$S_b \leq 4 \text{ mm/m}$	EN 824
Thickness	$d_L \geq 11.0 \text{ mm}$	EN 12431
Compressibility	$c \leq 1.0 \text{ mm}$	EN 12431
Mass per unit area	1.9 kg/m ² to 2.2 kg/m ²	EN 1602
Compressive stress /strength	$\sigma_{10\%} \geq 4.2 \text{ kPa}$	EN 826
Deformation under specified load and temperature	$\Delta \epsilon \leq 5.0 \%$	EN 1605

The performance of the product is in conformity with the declared performance.
Signed for and on behalf of the manufacturer by:



(i.v. Jörg Gamon, Head of Quality Management)

Bürs, 23rd April 2021
(place and date of issue)



(ppa. Roger Hofle, Senior Vice President Construction Division)