
Case Study Northern Approach Line to the Brenner Base Tunnel, Innsbruck (AT)



Largest continuous Mass-Spring System for Structure-Borne Noise and Vibration Mitigation

Project description

Expansion of the Brenner rail axis - Easing of traffic in the region

The Brenner Base Tunnel (BBT) is a joint Austrian-Italian project aimed at the construction of a railway tunnel for passenger and freight transport through the Brenner Pass. It passes under the Tyrolean Alps along the axis from Innsbruck (A) to Bolzano (I) and is part of the high-speed railway line from Berlin to Palermo, which covers a total distance of 2,200 kilometers. At a length of 55 kilometers, it is the second longest railway tunnel in the world after the Gotthard Base Tunnel.

An invitation to tender was issued for a high-efficiency solution for vibration and sound mitigation for the northern approach line to the BBT running through the Unterinntal valley. The primary objective of the project was an easing of traffic for the section between Kundl/Radfeld and Baumkirchen. The newly constructed double-track rail line is designed for speeds of up to 250 kilometers per hour. Accordingly, the requirements for vibration and noise mitigation are highly demanding. Between 260 and 300 trains – primarily freight trains – are expected to travel on the approach line each day once it goes into service in 2012.

Thanks to its high level of expertise and over 40 years of experience in the development of high-performance, high-efficiency mass-spring systems, Getzner Werkstoffe was commissioned to deliver elastomer bearings for the mitigation of vibrations and structureborne noise. The noise and vibration mitigation measures that have been implemented protect local residents and businesses from the adverse effects of vibrations and audible structure-borne noise. This will make a long-term contribution to protecting the environment in these regions, which are impacted by heavy transport, and help to preserve it for future generations.

Getzner's solution

Unterinntal railway receives high-efficiency vibration mitigation

he northern approach line to the future Brenner Base Tunnel was fitted with the largest continuous mass-spring system for structureborne noise and vibration mitigation which has ever been installed on a rail transport route. Roughly 80,000 square meters of high-efficiency mass-spring systems with Sylomer® and Sylodyn® elastomer bearings were installed in the sections of the approach line that runs through tunnels and avalanche screens, which account for around 32 of the total 40 kilometers. The precise calibration of the static and dynamic properties of the various bearing types ensured optimal efficiency (damping efficiency) that meets the specific requirements at each point along the line. This resulted in a significant reduction of structureborne noise and vibrations.





Getzner Werkstoffe: Developer, manufacturer and application consultant

Getzner Werkstoffe is more than just a developer and manufacturer of highly elastic materials for vibration mitigation. The company is also a competent, experienced consultant in application-related issues in the field of vibration engineering.

Getzner's experts are from the very beginning, actively involved in materials and system development and the realization of projects. Collaboration begins with the definition of specific framework conditions and generally continues all the way through to the joint development of innovative solutions. Getzner's technical expertise in the field of vibration mitigation allows the company to engineer intelligent system solutions using elastic polyurethane materials. The mutual goal of the project partners is always to find the optimal mix of cost efficiency, feasibility, noise and vibration mitigation, and a comfortable environment for working and living.

Feedback

What does the client have to say about the project?

"The engineers from Getzner Werkstoffe were extremely competent and motivated during the realization of the approach line to the Brenner Base Tunnel. We were highly impressed by their specialized knowledge in the field and the fact that they know their product inside and out. A key requirement for the consortium was to have a partner who we could collaborate with to solve problems and who expertly implements its high-tech product. Getzner fully lived up to these expectations."



EMBA-HSG, project manager Robert Kumpusch for ARGE Alptransit Brenner



Key data for the Brenner northern approach line



Client: Completion of railway	ARGE Alptransit Brenner: Rhomberg Bahntechnik and Alpine Bau
equipment installation:	
Length:	40 km, 32 km of which run through tunnels, troughs or snow sheds
Maximum speed upon completion:	250 km/h
Track superstructure	
dimensions:	load class E5
Solution:	full-surface and discrete mass-spring systems
Materials used:	around 80,000 m ² of high-efficiency mass-spring systems from Getzner (approximately 73,000 m ² of which employ full-surface bearings, approximately 6,000 discrete bearings)
Capacity:	around 260-300 trains a day assuming the maintenance concept is adhered to

Getzner Werkstoffe GmbH

Foundation:	1969 (as a subsidiary of Getzner,
	Mutter & Cie)
Managing Director:	Ing. Jürgen Rainalter
Employees:	219 in Bürs, 93 abroad
2014 turnover:	EUR 70.3 Mio.
Business areas:	Railway, construction, industry
2014 output:	7,367 tonnes of technical PU materials
2014 recycling:	17 tonnes of residual PU materials
Headquarter:	Bürs (AT)
Locations:	Munich (DE), Berlin (DE), Stuttgart (DE),
	Lyon (FR), Amman (JO), Tokyo (JP),
	Pune (IN), Beijing (CN), Kunshan (CN),
	Charlotte (US)
Ratio of exports:	86 percent

References in railway construction (excerpt):

- Austrian Railways, Vienna-St. Pölten: Lainzer Tunnel
- Austrian Railways, Linz-Salzburg: Römerberg Tunnel
- Austrian Railways, Innsbruck-Bregenz: Zammer Tunnel
- Deutsche Bahn AG, Berlin North-South Tunnel
- Deutsche Bahn AG, Cologne-Chorweiler
- Deutsche Bahn AG, Leipzig City Tunnel
- Swiss Federal Railways, Zurich-Thalwil: Zimmerberg Tunnel

